

## CLAIMS

1. A polypropylene resin composition which comprises:
  - 40 to 80% by weight of a polypropylene component (A) comprising a copolymer of propylene with ethylene and/or a C<sub>4-12</sub>  $\alpha$ -olefin wherein the amount of units derived from ethylene and/or a C<sub>4-12</sub>  $\alpha$ -olefin is 5% by weight or less, or a homopolymer of propylene, and
  - 20 to 60% by weight of a copolymer component (B) containing a copolymer (B-1) and a copolymer (B-2), wherein
    - both the copolymer (B-1) and copolymer (B-2) are copolymers of propylene with ethylene and/or a C<sub>4-12</sub>  $\alpha$ -olefin,
    - in the copolymer (B-1), the amount of units derived from propylene is from more than 50% by weight to 85% by weight, and
    - the copolymer (B-2) is a propylene copolymer where the amount of units derived from propylene is 15 to 50% by weight, the molecular weight distribution (Mw/Mn) by gel permeation chromatography is 3.0 or less, and blockness (CSD) determined using the measured NMR values is 1.3 or less;

in which composition the amount of (B-2) with respect to the whole polypropylene resin composition is 3% by weight or more, and the ratio of the limiting viscosity of the copolymer (B-1) to the viscosity of the polypropylene component (A) ( $[\eta]B-1/[\eta]A$ ) is 1.5 or less, and the ratio of the limiting viscosity of the copolymer (B-1) to the viscosity of copolymer (B-2) ( $[\eta]B-1/[\eta]B-2$ ) is 0.8 or more.
2. The polypropylene resin composition according to claim 1, wherein the weight ratio of the copolymer (B-1) to the copolymer (B-2) [(B-1)/(B-2)] is 1.2 to 6.0.
3. The polypropylene resin composition according to claims 1 and 2, wherein the copolymer (B-2) is a copolymer where there is a heterologous bond, and the unit derived from propylene is 15 to 35% by weight.
4. The polypropylene resin composition according to any of claims 1 to 3, wherein the stereoregularity of the polypropylene component (A) is 96% or more.
5. A polypropylene resin molding which is prepared by molding the polypropylene resin composition according to any of claims 1 to 4, wherein the copolymer component (B) is dispersed either in layers or as needles in the polypropylene

component (A), and the average length (aL) of the dispersed layer is 1.5  $\mu\text{m}$  or longer.

6. The polypropylene resin molding according to claim 6, wherein the molding is a film.